

Annexes :*Recueil de données*

| | Sexe | Age | Poids | Taille | BMI | Etat de Poids | ATCD Personels | ATCD Familiaux | Tension | Gl. 1 | Gl. 2 |
|------------|------|-----|------------|-------------|-------|---------------|----------------|----------------|---------|-------|-------|
| Patient 1 | F | 19 | | 1.60 [m] | | Obèse | non | non | | 5.9 | |
| Patient 2 | F | 25 | | | | | non | oui | | 5.8 | |
| Patient 3 | F | 19 | | 1.50 [m] | | | oui | oui | | 5.5 | |
| Patient 4 | F | 46 | 57 [Kg] | 1.60 [m] | 22.27 | Normal | non | oui | | 4.9 | |
| Patient 5 | M | 60 | 55 [Kg] | 1.35 [m] | 30.18 | Obèse | non | oui | 128/91 | 5.4 | 5.1 |
| Patient 6 | F | 61 | 79 [Kg] | 1.52 [m] | 34.19 | Obèse | oui | non | 155/84 | 5.2 | 5.6 |
| Patient 7 | F | 47 | 80 [Kg] | 1.72 [m] | 27.04 | Sur-Poids | oui | oui | 98/65 | 4.9 | 5.3 |
| Patient 8 | F | 23 | 60 [Kg] | 1.47 [m] | 27.77 | Sur-Poids | non | non | | 5.7 | |
| Patient 9 | F | 33 | 60 [Kg] | | | | non | non | | 5.2 | |
| Patient 10 | F | 36 | | | | | non | non | | 5.4 | |
| Patient 11 | F | 16 | 75 [Kg] | 1.60 [m] | 29.30 | Sur-Poids | non | non | | 4.7 | |

IMC 2012

Dépistage du diabète à Manta, Equateur

| | | | | | | | | | |
|------------|---|----|------------|-------------|-------|-----------|-----|-----|-----|
| Patient 12 | M | 74 | 73 [Kg] | 1.67 [m] | 26.18 | Sur-Poids | non | non | 5.3 |
| Patient 13 | M | 24 | | | | | oui | non | 4.8 |
| Patient 14 | F | 23 | 50 [Kg] | | | | non | oui | 4.7 |
| Patient 15 | M | 14 | 61 [Kg] | | | | non | oui | 4.9 |
| Patient 16 | F | 20 | | | | | non | non | 4.4 |
| Patient 17 | F | 4 | | | | | non | non | 4.7 |
| Patient 18 | M | 27 | 67 [Kg] | 1.70 [m] | 23.18 | Normal | non | non | 4.8 |
| Patient 19 | M | 30 | 53 [Kg] | | | | non | non | 4.1 |
| Patient 20 | F | 28 | | | | | non | non | 4.6 |
| Patient 21 | F | 63 | | | | | non | non | 5.4 |
| Patient 22 | F | 24 | 70 [Kg] | | | | non | oui | 4.4 |
| Patient 23 | F | 36 | 67 [Kg] | 1.50 [m] | 29.78 | Sur-Poids | non | non | 5.2 |
| Patient 24 | M | 33 | 46 [Kg] | 1.50 [m] | 20.44 | Normal | non | non | 5.4 |
| Patient 25 | F | 24 | 70 [Kg] | 1.60 [m] | 27.34 | Sur-Poids | non | non | 4.8 |
| Patient 26 | M | 43 | | | | | non | oui | 5.4 |
| Patient 27 | M | 16 | | 1.45 [m] | | | non | oui | 5.2 |

IMC 2012

Dépistage du diabète à Manta, Equateur

| | | | | | | | | | | | |
|------------|---|----|---------|----------|-------|------------|-----|-----|---------|-----|------|
| Patient 28 | F | 48 | 53 [Kg] | 1.59 [m] | 20.96 | Normal | non | non | | 5.1 | |
| Patient 29 | F | 19 | | | | | non | oui | | 4 | |
| Patient 30 | M | 34 | | | | | non | non | | 5.1 | |
| Patient 31 | M | 13 | | 1.42 [m] | | | non | non | | 5.4 | |
| Patient 32 | F | 40 | 20 [Kg] | | | | non | oui | | 5.2 | |
| Patient 33 | M | 3 | | | | | non | oui | | 5.4 | |
| Patient 34 | M | 56 | 98 [Kg] | 1.84 [m] | | Sous-Poids | non | oui | | 5.3 | |
| Patient 35 | M | 41 | | 1.71 [m] | | | non | non | | 5.1 | |
| Patient 36 | M | 22 | | | | | non | non | | 5.4 | |
| Patient 37 | F | 52 | 0 [Kg] | | | | non | oui | | 5.4 | |
| Patient 38 | F | 26 | 80 [Kg] | 1.60 [m] | 31.25 | Obèse | non | oui | | 5.2 | |
| Patient 39 | F | 3 | | | | | non | non | | 3.8 | |
| Patient 40 | M | 38 | 75 [Kg] | 1.60 [m] | 29.30 | Sur-Poids | non | non | | 6.3 | |
| Patient 41 | M | 61 | 67 [Kg] | 1.57 [m] | 27.18 | Sur-Poids | oui | non | 183/167 | 8.7 | 10.8 |
| Patient 42 | M | 62 | 74 [Kg] | 1.75 [m] | 24.16 | Normal | oui | non | 153/88 | 14 | 12.8 |
| Patient 43 | F | 63 | 52 [Kg] | 1.40 [m] | 26.53 | Sur-Poids | oui | non | 129/68 | 6 | 8.4 |

IMC 2012

Dépistage du diabète à Manta, Equateur

| | | | | | | | | | | | |
|------------|---|----|------------|-------------|-------|-----------|-----|-----|---------|------|-----|
| Patient 44 | M | 49 | 70 [Kg] | 1.50 [m] | 31.11 | Obèse | non | oui | 133/95 | 6.9 | 7 |
| Patient 45 | F | 54 | | | | | non | non | | 5.9 | |
| Patient 46 | F | 33 | | 1.51 [m] | | | | oui | | 6.7 | |
| Patient 47 | F | 28 | 74 [Kg] | 1.57 [m] | 30.02 | Obèse | non | oui | 128/71 | 5.8 | 6.2 |
| Patient 48 | M | 66 | 55 [Kg] | 1.45 [m] | 26.16 | Sur-Poids | oui | oui | | 6.4 | |
| Patient 49 | F | 44 | 63 [Kg] | 1.44 [m] | 30.38 | Obèse | non | oui | 126/79 | 6.1 | 7.7 |
| Patient 50 | M | 66 | 56 [Kg] | 1.50 [m] | 24.89 | Normal | oui | non | 129/86 | 8.9 | 8.8 |
| Patient 51 | F | 54 | 87 [Kg] | 1.59 [m] | 34.41 | Obèse | oui | non | | 6.1 | |
| Patient 52 | F | 48 | 49 [Kg] | 1.48 [m] | 22.37 | Normal | non | oui | 114/80 | 5.8 | 5 |
| Patient 53 | F | 45 | 58 [Kg] | 1.45 [m] | 27.59 | Sur-Poids | non | non | 146/90 | 15.2 | 5.5 |
| Patient 54 | F | 52 | 52 [Kg] | 1.44 [m] | 25.08 | Sur-Poids | oui | oui | 113/80 | 6.1 | 5.7 |
| Patient 55 | M | 30 | 82 [Kg] | 1.66 [m] | 29.76 | Sur-Poids | non | non | 120/60 | 5.1 | |
| Patient 56 | F | 41 | 92 [Kg] | 1.70 [m] | 31.83 | Obèse | non | oui | 165/148 | 5.1 | |
| Patient 57 | M | 45 | 81 [Kg] | 1.61 [m] | 31.25 | Obèse | non | oui | 131/92 | 5.4 | |

IMC 2012

Dépistage du diabète à Manta, Equateur

| | | | | | | | | | | |
|------------|---|----|------------|-------------|-------|------------|-----|-----|---------|-----|
| Patient 58 | F | 42 | 65 [Kg] | 1.55 [m] | 27.06 | Sur-Poids | oui | oui | 117/76 | 5.2 |
| Patient 59 | F | 48 | 83 [Kg] | 1.55 [m] | 34.55 | Obèse | non | non | 217/124 | 5.4 |
| Patient 60 | F | 6 | 28 [Kg] | 1.22 [m] | 18.81 | Normal | non | oui | | 5.4 |
| Patient 61 | M | 13 | 33 [Kg] | 1.40 [m] | 16.84 | Sous-Poids | non | non | | 4.8 |
| Patient 62 | F | 35 | 65 [Kg] | 1.57 [m] | 26.37 | Sur-Poids | non | non | 97/62 | 5.2 |
| Patient 63 | F | 17 | 69 [Kg] | 1.60 [m] | 26.95 | Sur-Poids | non | non | 106/67 | 5.3 |
| Patient 64 | F | 24 | 86 [Kg] | 1.50 [m] | 38.22 | Obèse | non | non | 120/77 | 4.4 |
| Patient 65 | F | 54 | 41 [Kg] | 1.53 [m] | 17.51 | Normal | non | non | 131/73 | 4.5 |
| Patient 66 | F | 46 | 60 [Kg] | 1.54 [m] | 25.30 | Sur-Poids | non | oui | 120/78 | 5.7 |
| Patient 67 | F | 29 | 65 [Kg] | 1.53 [m] | 27.77 | Sur-Poids | non | non | 113/68 | 4.8 |
| Patient 68 | M | 61 | 84 [Kg] | 1.69 [m] | 29.41 | Sur-Poids | non | non | 127/84 | 5.5 |
| Patient 69 | F | 60 | 72 [Kg] | 1.44 [m] | 34.72 | Obèse | non | oui | 115/78 | 4.9 |
| Patient 70 | F | 31 | 75 [Kg] | 1.57 [m] | 30.43 | Obèse | non | oui | 108/72 | 4.3 |
| Patient 71 | F | 27 | | | | | non | non | | 4 |

IMC 2012

Dépistage du diabète à Manta, Equateur

| | | | | | | | | | | | |
|------------|---|----|------------|-------------|-------|-----------|-----|-----|---------|------|------|
| Patient 72 | F | 29 | 74 [Kg] | 1.62 [m] | 28.20 | Sur-Poids | non | non | 146/109 | 5.7 | |
| Patient 73 | F | 48 | 80 [Kg] | 1.65 [m] | 29.38 | Sur-Poids | non | oui | 138/79 | 5.3 | |
| Patient 74 | F | 29 | 52 [Kg] | 1.57 [m] | 21.10 | Normal | non | oui | 94/65 | 5.3 | |
| Patient 75 | F | 29 | 57 [Kg] | 1.63 [m] | 21.45 | Normal | oui | oui | 111/77 | 4 | |
| Patient 76 | F | 12 | 41 [Kg] | 1.48 [m] | 18.72 | Normal | non | non | | 4.9 | |
| Patient 77 | M | 45 | 71 [Kg] | 1.61 [m] | 27.39 | Sur-Poids | non | non | 125/83 | 4.9 | |
| Patient 78 | M | 49 | 66 [Kg] | 1.58 [m] | 26.44 | Sur-Poids | non | oui | 112/79 | 12.9 | 11.6 |
| Patient 79 | F | 51 | 54 [Kg] | 1.49 [m] | 24.32 | Normal | non | non | 122/67 | 6.2 | 5.8 |
| Patient 80 | F | 63 | 50 [Kg] | 1.43 [m] | 24.45 | Normal | oui | oui | 143/68 | 8.2 | 8.1 |
| Patient 81 | M | 58 | 61 [Kg] | 1.50 [m] | 27.11 | Sur-Poids | oui | non | 113/75 | 8.9 | |
| Patient 82 | F | 73 | 44 [Kg] | 1.50 [m] | 19.56 | Normal | non | non | 110/71 | 3.7 | |
| Patient 83 | F | 56 | 64 [Kg] | 1.55 [m] | 26.64 | Sur-Poids | non | oui | 109/63 | 6 | |
| Patient 84 | F | 28 | 61 [Kg] | 1.59 [m] | 24.13 | Normal | oui | non | 113/75 | 10.8 | |
| Patient 85 | F | 33 | 81 [Kg] | 1.63 [m] | 30.49 | Obèse | non | non | 110/71 | 5.8 | |

IMC 2012

Dépistage du diabète à Manta, Equateur

| | | | | | | | | | | | |
|------------|---|----|-------------|-------------|-------|-----------|-----|-----|--------|-----|-----|
| Patient 86 | F | 26 | 68 [Kg] | 1.56 [m] | 27.94 | Sur-Poids | non | oui | 109/64 | 5.8 | |
| Patient 87 | F | 38 | 71 [Kg] | 1.60 [m] | 27.73 | Sur-Poids | non | non | 139/93 | 6.2 | 5.4 |
| Patient 88 | F | 58 | 65 [Kg] | 1.46 [m] | 30.49 | Obèse | non | non | 90/75 | 8.1 | 4.9 |
| Patient 89 | M | 80 | 62 [Kg] | 1.52 [m] | 26.84 | Sur-Poids | non | non | 134/73 | 4.8 | 4.7 |
| Patient 90 | F | 45 | 80 [Kg] | 1.67 [m] | 28.69 | Sur-Poids | non | non | 123/82 | 5.4 | 5.5 |
| Patient 91 | F | 19 | 48 [Kg] | 1.48 [m] | 21.91 | Normal | non | oui | 122/88 | 5.8 | 4.9 |
| Patient 92 | F | 35 | 61 [Kg] | 1.56 [m] | 25.07 | Sur-Poids | non | non | 114/74 | 6.2 | 5.4 |
| Patient 93 | F | 57 | 46 [Kg] | 1.55 [m] | 19.15 | Normal | non | non | 106/69 | 5.9 | 5.2 |
| Patient 94 | F | 74 | 50 [Kg] | 1.46 [m] | 23.46 | Normal | non | non | 181/85 | 5.8 | |
| Patient 95 | F | 47 | 64 [Kg] | 1.52 [m] | 27.70 | Sur-Poids | oui | non | 129/80 | 5 | |
| Patient 96 | M | 45 | 104 [Kg] | 1.65 [m] | 38.20 | Obèse | oui | oui | 114/77 | 5.8 | |
| Patient 97 | F | 41 | 47 [Kg] | 1.37 [m] | 25.04 | Sur-Poids | oui | non | 101/63 | 4.4 | |
| Patient 98 | M | 24 | 92 [Kg] | 1.77 [m] | 29.37 | Sur-Poids | oui | oui | 154/82 | 5.2 | |
| Patient 99 | F | 46 | 75 [Kg] | 1.57 [m] | 30.43 | Obèse | oui | oui | 124/73 | 5.5 | |

IMC 2012

Dépistage du diabète à Manta, Equateur

| | | | | | | | | | | |
|-------------|---|----|------------|-------------|-------|------------|-----|-----|--------|-----|
| Patient 100 | F | 21 | 46 [Kg] | 1.39 [m] | 23.81 | Normal | oui | non | 114/82 | 4.7 |
| Patient 101 | M | 21 | 82 [Kg] | 1.81 [m] | 25.03 | Sur-Poids | non | oui | 154/94 | 5.1 |
| Patient 102 | F | 33 | 48 [Kg] | 1.50 [m] | 21.33 | Normal | non | oui | 107/80 | 4.6 |
| Patient 103 | M | 30 | 71 [Kg] | 1.59 [m] | 28.08 | Sur-Poids | non | non | 135/80 | 4.6 |
| Patient 104 | F | 32 | 64 [Kg] | 1.61 [m] | 24.69 | Normal | non | non | 128/87 | 4.9 |
| Patient 105 | F | 13 | 35 [Kg] | 1.44 [m] | 16.88 | Sous-Poids | non | non | 98/62 | 4.9 |
| Patient 106 | F | 45 | 51 [Kg] | 1.51 [m] | 22.37 | Normal | non | oui | 119/81 | 5.5 |
| Patient 107 | F | 42 | 51 [Kg] | 1.48 [m] | 23.28 | Normal | non | non | 103/77 | 5.3 |
| Patient 108 | F | 52 | 51 [Kg] | 1.39 [m] | 26.40 | Sur-Poids | non | non | 115/75 | 5.3 |
| Patient 109 | F | 18 | 67 [Kg] | 1.55 [m] | 27.89 | Sur-Poids | non | oui | 128/89 | 5.7 |
| Patient 110 | F | 22 | 62 [Kg] | 1.59 [m] | 24.52 | Normal | non | oui | 141/76 | 5.4 |
| Patient 111 | F | 22 | 55 [Kg] | 1.52 [m] | 23.81 | Normal | non | non | 111/77 | 4.8 |
| Patient 112 | F | 28 | 52 [Kg] | 1.53 [m] | 22.21 | Normal | non | oui | 116/73 | 5.7 |
| Patient 113 | F | 53 | 60 [Kg] | 1.44 [m] | 28.94 | Sur-Poids | non | oui | 155/84 | 4.6 |

IMC 2012

Dépistage du diabète à Manta, Equateur

| | | | | | | | | | | |
|-------------|---|----|------------|-------------|-------|------------|-----|-----|--------|-----|
| Patient 114 | F | 64 | 56 [Kg] | 1.49 [m] | 25.22 | Sur-Poids | non | oui | 125/77 | 5.3 |
| Patient 115 | F | 29 | 49 [Kg] | 1.45 [m] | 23.31 | Normal | non | oui | 120/86 | 5.3 |
| Patient 116 | F | 42 | 54 [Kg] | 1.51 [m] | 23.68 | Normal | non | oui | 127/85 | 4.6 |
| Patient 117 | F | 40 | 58 [Kg] | 1.45 [m] | 27.59 | Sur-Poids | non | non | 134/88 | 4.8 |
| Patient 118 | M | 30 | 61 [Kg] | 1.74 [m] | 20.15 | Normal | non | non | 117/78 | 4.4 |
| Patient 119 | F | 13 | 47 [Kg] | 1.56 [m] | 19.31 | Normal | non | non | 109/62 | 4.3 |
| Patient 120 | F | 18 | 46 [Kg] | 1.62 [m] | 17.53 | Normal | non | non | 111/74 | 4.3 |
| Patient 121 | F | 36 | 66 [Kg] | 1.55 [m] | 27.47 | Sur-Poids | non | non | 134/90 | 4.2 |
| Patient 122 | F | 35 | 60 [Kg] | 1.53 [m] | 25.63 | Sur-Poids | non | non | 100/66 | 5.1 |
| Patient 123 | M | 12 | 30 [Kg] | 1.42 [m] | 14.88 | Sous-Poids | non | non | 106/75 | 5.3 |
| Patient 124 | F | 42 | 63 [Kg] | 1.49 [m] | 28.38 | Sur-Poids | non | oui | 118/84 | 4.4 |
| Patient 125 | F | 44 | 65 [Kg] | 1.57 [m] | 26.37 | Sur-Poids | non | oui | 132/91 | 5.2 |
| Patient 126 | F | 48 | 49 [Kg] | 1.48 [m] | 22.37 | Normal | non | oui | 158/88 | 4.6 |
| Patient 127 | M | 14 | 34 [Kg] | 1.40 [m] | 17.35 | Normal | non | non | 96/70 | 5.4 |

IMC 2012

Dépistage du diabète à Manta, Equateur

| | | | | | | | | | | |
|-------------|---|----|------------|-------------|-------|-----------|-----|-----|---------|-----|
| Patient 128 | F | 42 | 65 [Kg] | 1.57 [m] | 26.37 | Sur-Poids | non | oui | 122/108 | 4.9 |
| Patient 129 | M | 17 | 52 [Kg] | 1.58 [m] | 20.83 | Normal | non | non | 117/74 | 4.8 |
| Patient 130 | M | 66 | 75 [Kg] | 1.61 [m] | 28.93 | Sur-Poids | non | oui | 164/123 | 5.3 |
| Patient 131 | F | 18 | 43 [Kg] | 1.54 [m] | 18.13 | Normal | non | non | 123/84 | 4.8 |
| Patient 132 | F | 66 | 50 [Kg] | 1.30 [m] | 29.59 | Sur-Poids | non | non | 148/85 | 4.7 |
| Patient 133 | F | 32 | 49 [Kg] | 1.40 [m] | 25.00 | Sur-Poids | non | non | 110/70 | 4.6 |
| Patient 134 | F | 30 | 40 [Kg] | 1.38 [m] | 21.00 | Normal | non | non | 120/77 | 4.6 |
| Patient 135 | F | 37 | 53 [Kg] | 1.51 [m] | 23.24 | Normal | non | non | 141/82 | 4.3 |
| Patient 136 | F | 31 | 85 [Kg] | 1.58 [m] | 34.05 | Obèse | non | non | 128/82 | 4.4 |
| Patient 137 | F | 64 | 82 [Kg] | 1.50 [m] | 36.44 | Obèse | non | non | 142/89 | 5 |
| Patient 138 | F | 26 | 54 [Kg] | 1.50 [m] | 24.00 | Normal | non | non | 117/76 | 4.2 |
| Patient 139 | M | 90 | 65 [Kg] | 1.60 [m] | 25.39 | Sur-Poids | non | non | 182/96 | 5.2 |
| Patient 140 | F | 68 | 80 [Kg] | 1.45 [m] | 38.05 | Obèse | non | non | 132/73 | 5.2 |
| Patient 141 | F | 56 | 55 [Kg] | 1.46 [m] | 25.80 | Sur-Poids | non | non | 120/85 | 4.7 |

IMC 2012

Dépistage du diabète à Manta, Equateur

| | | | | | | | | | | | |
|-------------|---|----|------------|-------------|-------|------------|-----|-----|--------|-----|-----|
| Patient 142 | F | 37 | 60 [Kg] | 1.55 [m] | 24.97 | Normal | non | oui | | 4.7 | |
| Patient 143 | F | 15 | 41 [Kg] | 1.49 [m] | 18.47 | Normal | non | non | 104/62 | 5.2 | |
| Patient 144 | M | 41 | 66 [Kg] | 1.54 [m] | 27.83 | Sur-Poids | non | non | 139/95 | 4.8 | |
| Patient 145 | M | 13 | 43 [Kg] | 1.48 [m] | 19.63 | Normal | non | oui | 89/63 | 4.4 | |
| Patient 146 | M | 5 | 19 [Kg] | 1.12 [m] | 15.15 | Sous-Poids | non | oui | 88/60 | 4.9 | |
| Patient 147 | F | 38 | 78 [Kg] | 1.48 [m] | 35.61 | Obèse | non | oui | 128/95 | 4.8 | |
| Patient 148 | F | 44 | 59 [Kg] | 1.53 [m] | 25.20 | Sur-Poids | non | oui | 119/81 | 4.6 | |
| Patient 149 | F | 63 | 52 [Kg] | 1.48 [m] | 23.74 | Normal | non | oui | 149/79 | 4.8 | |
| Patient 150 | M | 28 | 69 [Kg] | 1.69 [m] | 24.16 | Normal | non | oui | 121/95 | 3.7 | |
| Patient 151 | F | 28 | 52 [Kg] | 1.49 [m] | 23.42 | Normal | non | non | 121/79 | 4.5 | |
| Patient 152 | F | 60 | 74 [Kg] | 1.58 [m] | 29.64 | Sur-Poids | non | non | 124/80 | 5.1 | |
| Patient 153 | F | 21 | 62 [Kg] | 1.56 [m] | 25.48 | Sur-Poids | non | oui | | 5.1 | |
| Patient 154 | F | 35 | 54 [Kg] | 1.46 [m] | 25.33 | Sur-Poids | non | oui | 95/60 | 3.8 | |
| Patient 155 | M | 80 | 68 [Kg] | 1.56 [m] | 27.94 | Sur-Poids | oui | oui | | 5.7 | 5.9 |

IMC 2012

Dépistage du diabète à Manta, Equateur

| | | | | | | | | | | | |
|-------------|---|----|-------------|-------------|-------|-----------|-----|-----|--------|------|------|
| Patient 156 | F | 63 | 65 [Kg] | 1.55 [m] | 27.06 | Sur-Poids | oui | non | 129/88 | 9.6 | 13 |
| Patient 157 | F | 38 | 68 [Kg] | 1.58 [m] | 27.24 | Sur-Poids | non | oui | | | 6.1 |
| Patient 158 | M | 27 | 98 [Kg] | 1.70 [m] | 33.91 | Obèse | non | oui | 147/86 | 6.3 | |
| Patient 159 | F | 61 | 55 [Kg] | 1.36 [m] | 29.74 | Sur-Poids | non | non | 139/87 | 6.1 | |
| Patient 160 | F | 41 | 66 [Kg] | 1.48 [m] | 30.13 | Obèse | non | non | 134/87 | 5.9 | |
| Patient 161 | F | 72 | 55 [Kg] | 1.43 [m] | 26.90 | Sur-Poids | oui | non | 132/76 | 6.5 | |
| Patient 162 | M | 55 | 103 [Kg] | 1.72 [m] | 34.82 | Obèse | non | non | 148/83 | 6.2 | |
| Patient 163 | F | 73 | 50 [Kg] | 1.38 [m] | 26.25 | Sur-Poids | oui | oui | 146/88 | 11.4 | |
| Patient 164 | M | 53 | 74 [Kg] | 1.67 [m] | 26.53 | Sur-Poids | oui | oui | 151/93 | 8.8 | |
| Patient 165 | F | 56 | 85 [Kg] | 1.50 [m] | 37.78 | Obèse | oui | oui | 128/92 | 21.9 | 19.9 |
| Patient 166 | M | 82 | 90 [Kg] | 1.69 [m] | 31.51 | Obèse | oui | non | 162/93 | 10.8 | 8.6 |
| Patient 167 | M | 58 | 88 [Kg] | 1.64 [m] | 32.72 | Obèse | non | oui | 144/78 | 6.2 | 6.9 |
| Patient 168 | F | 59 | 62 [Kg] | 1.46 [m] | 29.09 | Sur-Poids | oui | oui | 136/87 | 9.3 | 6.6 |
| Patient 169 | F | 53 | 49 [Kg] | 1.55 [m] | 20.40 | Normal | oui | oui | 121/76 | 18.2 | 15.1 |

IMC 2012

Dépistage du diabète à Manta, Equateur

| | | | | | | | | | | | |
|-------------|---|----|------------|-------------|-------|-----------|-----|-----|---------|------|------|
| Patient 170 | F | 41 | 58 [Kg] | 1.60 [m] | 22.66 | Normal | non | non | 170/101 | 11.5 | 10.8 |
| Patient 171 | F | 71 | 45 [Kg] | 1.40 [m] | 22.96 | Normal | oui | non | 135/83 | 9.6 | 10.2 |
| Patient 172 | M | 40 | 84 [Kg] | 1.69 [m] | 29.41 | Sur-Poids | oui | oui | 111/76 | 4.9 | 5.4 |
| Patient 173 | F | 62 | 81 [Kg] | 1.57 [m] | 32.86 | Obèse | non | non | | 6 | 5.4 |
| Patient 174 | F | 43 | 45 [Kg] | 1.52 [m] | 19.48 | Normal | non | oui | | 5.7 | |
| Patient 175 | F | 60 | | | | | non | non | 136/73 | 5.3 | |
| Patient 176 | F | 23 | 86 [Kg] | 1.52 [m] | 37.22 | Obèse | oui | oui | 119/75 | 5.3 | 5.2 |
| Patient 177 | F | 51 | 81 [Kg] | 1.51 [m] | 35.52 | Obèse | non | non | 172/103 | 6 | 5 |
| Patient 178 | M | 59 | 61 [Kg] | 1.58 [m] | 24.44 | Normal | non | non | 122/82 | 5.8 | 5.1 |
| Patient 179 | F | 83 | 52 [Kg] | 1.48 [m] | 23.74 | Normal | non | non | 152/92 | 6.9 | 4.6 |
| Patient 180 | M | 36 | | | | | non | non | 119/82 | 5.3 | |
| Patient 181 | F | 36 | 53 [Kg] | 1.46 [m] | 24.86 | Normal | non | non | 106/76 | 4.9 | |
| Patient 182 | M | 44 | 65 [Kg] | 1.48 [m] | 29.67 | Sur-Poids | non | non | 121/74 | 4.8 | |
| Patient 183 | F | 34 | 68 [Kg] | 1.48 [m] | 31.04 | Obèse | non | non | 128/91 | 5.3 | |
| Patient 184 | F | 20 | | | 23.68 | Normal | non | oui | 101/68 | 4.6 | |

| | | | [Kg] | [m] | | | | | | |
|-------------|---|----|------------|-------------|-------|-----------|-----|-----|---------|-----|
| Patient 185 | F | 21 | 64 [Kg] | 1.60 [m] | 25.00 | Sur-Poids | non | non | 116/83 | 4.5 |
| Patient 186 | F | 57 | 57 [Kg] | 1.56 [m] | 23.42 | Normal | non | non | 154/109 | 4.9 |
| Patient 187 | F | 57 | 51 [Kg] | 1.49 [m] | 22.97 | Normal | non | non | 110/73 | 5.6 |
| Patient 188 | F | 33 | 45 [Kg] | 1.47 [m] | 20.82 | Normal | non | oui | 107/66 | 5.6 |
| Patient 189 | F | 37 | 71 [Kg] | 1.57 [m] | 28.80 | Sur-Poids | non | oui | | 5.2 |
| Patient 190 | F | 20 | 48 [Kg] | 1.59 [m] | 18.99 | Normal | non | oui | 101/68 | 5.4 |
| Patient 191 | F | 41 | 48 [Kg] | 1.41 [m] | 24.14 | Normal | non | oui | 133/79 | 5.1 |
| Patient 192 | M | 87 | 50 [Kg] | 1.50 [m] | 22.22 | Normal | non | oui | 120/104 | 5.6 |
| Patient 193 | F | 88 | 48 [Kg] | 1.41 [m] | 24.14 | Normal | non | oui | 148/66 | 5.1 |
| Patient 194 | F | 68 | 45 [Kg] | 1.56 [m] | 18.49 | Normal | non | oui | 141/78 | 5.1 |
| Patient 195 | F | 51 | 74 [Kg] | 1.42 [m] | 36.70 | Obèse | non | oui | 133/83 | 5.5 |
| Patient 196 | F | 59 | 67 [Kg] | 1.52 [m] | 29.00 | Sur-Poids | non | oui | 141/90 | 5.7 |
| Patient 197 | F | 58 | 63 [Kg] | 1.46 [m] | 29.56 | Sur-Poids | non | non | 120/72 | 5.4 |

IMC 2012

Dépistage du diabète à Manta, Equateur

| | | | | | | | | | | | |
|-------------|---|----|------------|-------------|-------|------------|-----|-----|---------|-----|-----|
| Patient 198 | F | 56 | 54 [Kg] | 1.49 [m] | 24.32 | Normal | non | non | 128/80 | 5.3 | |
| Patient 199 | F | 52 | 68 [Kg] | 1.56 [m] | 27.94 | Sur-Poids | oui | non | 117/77 | 5.4 | |
| Patient 200 | F | 57 | 70 [Kg] | 1.46 [m] | 32.84 | Obèse | non | non | 125/81 | 5.4 | |
| Patient 201 | F | 63 | 59 [Kg] | 1.42 [m] | 29.26 | Sur-Poids | non | non | 128/90 | 5.7 | |
| Patient 202 | M | 42 | 80 [Kg] | 1.74 [m] | 26.42 | Sur-Poids | non | oui | 161/110 | 5.4 | |
| Patient 203 | F | 40 | 46 [Kg] | 1.61 [m] | 17.75 | Normal | non | non | 123/98 | 5.3 | |
| Patient 204 | F | 20 | 64 [Kg] | 1.50 [m] | 28.44 | Sur-Poids | non | oui | 104/73 | 4.2 | |
| Patient 205 | M | 2 | 11 [Kg] | 0.86 [m] | 14.87 | Sous-Poids | non | oui | | 4.6 | |
| Patient 206 | F | 45 | 65 [Kg] | 1.52 [m] | 28.13 | Sur-Poids | non | non | 108/74 | 4.7 | |
| Patient 207 | F | 51 | 49 [Kg] | 1.45 [m] | 23.31 | Normal | non | non | 110/71 | 5.6 | |
| Patient 208 | F | 34 | 61 [Kg] | 1.50 [m] | 27.11 | Sur-Poids | non | non | 110/77 | 5.3 | |
| Patient 209 | F | 49 | 59 [Kg] | 1.54 [m] | 24.88 | Normal | non | non | 112/78 | 4.3 | |
| Patient 210 | M | 78 | 63 [Kg] | 1.63 [m] | 23.71 | Normal | non | non | | 6.2 | 6.1 |
| Patient 211 | M | 76 | 73 [Kg] | 1.55 [m] | 30.39 | Obèse | oui | non | 145/91 | 6.6 | 5.8 |

IMC 2012

Dépistage du diabète à Manta, Equateur

| | | | | | | | | | | | |
|-------------|---|----|------------|-------------|-------|-----------|-----|-----|---------|------|-----|
| Patient 212 | F | 58 | | | | | non | non | 215/122 | 6.7 | 7.3 |
| Patient 213 | M | 60 | 68 [Kg] | 1.68 [m] | 24.09 | Normal | oui | non | 147/97 | 8.4 | 8.5 |
| Patient 214 | F | 50 | 61 [Kg] | 1.55 [m] | 25.39 | Sur-Poids | non | oui | 130/93 | 6.2 | 5.8 |
| Patient 215 | F | 76 | 47 [Kg] | 1.44 [m] | 22.67 | Normal | non | non | 179/69 | 6.4 | 5.8 |
| Patient 216 | F | 31 | 82 [Kg] | 1.59 [m] | 32.44 | Obèse | non | oui | 119/83 | 5.9 | 5.9 |
| Patient 217 | F | 74 | 55 [Kg] | 1.49 [m] | 24.77 | Normal | oui | non | 185/105 | 9.7 | 8.4 |
| Patient 218 | F | 50 | 76 [Kg] | 1.59 [m] | 30.06 | Obèse | non | oui | 144/87 | 6.8 | 5.9 |
| Patient 219 | F | 39 | 89 [Kg] | 1.57 [m] | 36.11 | Obèse | oui | oui | 113/85 | 5.1 | 5.9 |
| Patient 220 | M | 49 | 78 [Kg] | 1.60 [m] | 30.47 | Obèse | non | oui | 134/88 | 5.9 | |
| Patient 221 | M | 60 | 73 [Kg] | 1.67 [m] | 26.18 | Sur-Poids | oui | non | 134/93 | 13.9 | |
| Patient 222 | F | 41 | 55 [Kg] | 1.49 [m] | 24.77 | Normal | oui | non | 138/86 | 8.1 | |
| Patient 223 | F | 45 | 62 [Kg] | 1.58 [m] | 24.84 | Normal | oui | non | 147/93 | 13.8 | |
| Patient 224 | F | 52 | 61 [Kg] | 1.46 [m] | 28.62 | Sur-Poids | non | oui | 141/101 | 8 | |
| Patient 225 | F | 77 | 44 [Kg] | 1.47 [m] | 20.36 | Normal | oui | non | 117/73 | 8.1 | |

IMC 2012

Dépistage du diabète à Manta, Equateur

| | | | | | | | | | | |
|-------------|---|----|------------|-------------|-------|--------|-----|-----|--------|-----|
| Patient 226 | F | 84 | 52 [Kg] | 1.46 [m] | 24.39 | Normal | non | non | 115/76 | 7.9 |
|-------------|---|----|------------|-------------|-------|--------|-----|-----|--------|-----|